

**TOWN OF SOMERS  
WATER POLLUTION CONTROL AUTHORITY**

**P.O. Box 308  
Somers, CT 06071**

**WPCA MINUTES  
Tuesday, April 20, 2010  
7:45 p.m.  
Town Hall Conference Room**

**I. Call to Order:**

Chairman Jim Botellio called the meeting to order at 7:45 p.m. Members present were: Jim Botellio, Charles Colby, Steve Getman, Dan Fraro. Others present: Mike Mocko and Steve Jacobs, Registered Sanitarian.

**II. 230 Four Bridges Rd. – Proposed Water Service**

230 Four Bridges Road – water assessment

Vote to allow hook-up to water . \$2600. assessment to be paid prior to issue of a C.O.  
Motion made by Charles Colby, seconded by Steve Jacobs and unanimously approved.

**III. Sunset Drive – TCP Contamination:**

OPM cancelled April meeting. Project remains on hold until funding is available.

**IV. Health Department Regionalization:**

Steve Jacobs met with efficiency committee – gave them copies of the job breakdown. Jim will set up a meeting with the selectmen and with the efficiency committee to discuss the WPCA portion of the job.

**V. Correspondence/Audience Participation:**

- A. DOC. Quarterly report
- B. DEP Annual inspection of sewer plant – all set
- C. DEP's response to possibly going back to chlorine at sewer plant – stay with the UV disinfection.
- D. Request for hook-up at 10 Polo View Road – Carol Malloy, ODC says they have money in the account but the Authority wants written guarantee of reimbursement before proceeding with the work.
- E. Intent to Lien Notice sent to remaining delinquent water accounts.
- F. Collections – of the 19 accounts sent to the attorney – 10 have paid. In full The others are still pending a tax sale.
- G. A survey of wells in eastern Somers has revealed some low levels of uranium – A cluster on Main St. and Randall Rd. were found to be over the potable limit. Additional testing is being scheduled.

**VI. Bills:**

Hazardville Water	\$ 13.13
CBS	90.00
ANCO	380.00
JOBCO	56.25
Mike Mocko	200.00
United Concrete	<u>1050.00</u>
<b>TOTAL</b>	<b>1789.38</b>

Charles Colby made a motion to pay the bills, seconded by Jim Faust and unanimously approved by the authority.

Proposal from United Concrete to add a transmitter for the pump station alarm: \$2,263. The Authority wanted to get proposal from Hinckley prior to proceeding.

**VII. Adjournment:**

Motion to adjourn made by Charles Colby, seconded by Steve Getman and unanimously approved by the authority. The meeting adjourned at 8:40.

Respectfully Submitted,

Dan Fraro  
WPCA Secretary

MINUTES ARE NOT OFFICIAL UNTIL APPROVED AT A SUBSEQUENT MEETING