

RESOLUTION 13-044

WHEREAS, the City of Decatur, Alabama has certain items of personal property which are no longer needed for public or municipal purposes, and

WHEREAS, §11-43-56 of the Alabama Code of 1975 and §2-182 of the Code of Decatur authorizes the governing body to dispose of unneeded personal property,

NOW, THEREFORE, LET IT BE IT RESOLVED by the City Council of the City of Decatur, in the State of Alabama, as follows:

SECTION 1: The following item(s) of personal property located at the Decatur Public Library is hereby declared surplus and no longer needed for municipal purposes:

- *One (1) Heating Boiler, 8900 Series Unit, Model #33HB1160NE2ASFX*

SECTION 2: The Purchasing Agent is hereby authorized to dispose of said property described in Section 1 in accordance with established policy and thereafter place proceeds of such sale in the General Fund. The City Clerk is hereby authorized to transfer title or ownership of same.

Adopted and approved this 4th day of March, 2013



260 North Elm Street
Westfield, MA. 01085



HEATING BOILER

MODEL NO./MODÈLE NO.

33HB1160NE2ASFX

CONTROL NO./
CONTROLE N.

MDF

RELIEF VALVE SET/
REGLAGE SOUPAPE
DE SÛRETÉ

SERIAL NO./SÉRIE NO.

110230060

MIN. RELIEF VALVE CAPACITY/
CAPACITE MINI DE LA SOUPAPE
DE SÛRETÉ

EQUIPPED FOR/
PREVU POUR

MAX. W.P. WATER/
PRESSION MAXI D'EAU

160 PSI/
1103 kPa

940 / 275.30

Lb/Hr
kW

NATURAL

GAS
GAZ

INLET GAS PRESSURE/ PRESSION DE GAZ A L'ENTREE	NAT. GAS/ GAZ. NAT.	LP GAS/ GAZ. B.P.	MANIFOLD GAS PRESSURE/ PRESSION DE GAZ AU COLLECTEUR			
MAX. (IN.W.C.)/ MAXI (POUNCES DE COLONNE D'EAU)	14	14	NAT.	NAT.	L.P.	B.P.
MIN. (IN.W.C.)/ MINI (POUNCES DE COLONNE D'EAU)	5	11	4		10	

0 TO 2000 FT./0 à 2000 PIEDS

INPUT/
ALIMENTATION:

1,160,000 / 339.88

BTU/HR
kW

MIN. INPUT/
ALIMENTATION MINI:

BTU/HR
kW

OUTPUT:

951,200 / 278.70

BTU/HR
kW

ORIFICE/
ORIFICE:

29

DMS/
mm

CATEGORY I
ANS Z21.10.3-2001

NAT'L BRD.# 7211

ELECTRICAL RATING/PUISSANCE ELECTRIQUE NOMINALE: 120V/PH/60 HZ
MAXIMUM AMPS/AMP. MAXI: 12A

FOR ALCOVE INSTALLATION ON NON-COMBUSTIBLE FLOORS ONLY/ POUR
INSTALLATION DANS NICHE SUR PLANCHER NON-COMBUSTIBLE SEULEMENT/

MINIMUM CLEARANCES TO COMBUSTIBLE MATERIALS:
ECARTEMENT MINIMAL DE MATIERES COMBUSTIBLES:

RIGHT AND LEFT SIDE/
COTE DROIT ET GAUCHE:

24/609.6

IN./
mm

JACKET TOP TO CEILING:
DESSUS DE CHEMISE
AU PLAFOND:

24/609.6

IN./
mm

REAR/
ARRIERE:

24/609.6

IN./
mm

VENT:
EVENT:

6/152.4

IN./
mm

