

# Table of Contents

---

Table of Contents .....	i
Executive Summary .....	xi
1.0 Introduction .....	1-1
1.1. Project Objective .....	1-1
1.2. Project Area .....	1-2
1.3. Project Area Description .....	1-3
2.0 Factors Affecting Water Quality in the WHCL.....	2-1
2.1. Historic Water Quality Impacts.....	2-1
2.2. State and Federal Regulations and Water Quality Impairments: Total Maximum Daily Loads (TMDLs), Numeric Nutrient Criteria (NNC), Pollutant Load Reduction Goals (PLRGs).....	2-5
2.3. Nutrient Impairments and Criteria for Water Quality Restoration .....	2-7
2.4. Lake Water Levels .....	2-11
2.4.1. Present Day Levels .....	2-11
2.4.2. Historical Trends in Lake Levels .....	2-14
2.5. Historic Point Source Discharges and Legacy Sediments .....	2-16
2.6. Rainfall and Lake Levels .....	2-18
2.7. Lake Color: Valley Lakes and Forested Wetlands .....	2-22
2.8. Submerged Aquatic Vegetation (SAV).....	2-24
3.0 Restoration Projects to Address Water Quality Issues .....	3-1
3.1. Previously Implemented Restoration Projects .....	3-1
3.2. Project Selection and Decision Key .....	3-7
3.3. Sediment Removal/Inactivation .....	3-9
3.4. Stormwater Infiltration Areas (SIAs).....	3-18
3.5. Aquatic and Wetland Vegetation.....	3-23
3.5.1. Forested Wetland Rehydration .....	3-23
3.5.2. SAV Planting .....	3-25
3.5.3. Emergent Aquatic Vegetation (EAV) Planting .....	3-26
3.5.4. Floating Treatment Wetlands.....	3-31
3.6. Artificial Circulation.....	3-33
3.7. Summary.....	3-34
4.0 Lake-Specific Restoration Projects .....	4-1
4.1. Lake Blue .....	4-1
4.2. Lake Cannon.....	4-11
4.3. Lake Conine .....	4-20
4.4. Lake Eloise.....	4-30
4.5. Lake Fannie .....	4-40
4.6. Lake Haines .....	4-47
4.7. Lake Hamilton .....	4-57
4.8. Lake Hartridge.....	4-64
4.9. Lake Henry.....	4-74
4.10. Lake Howard.....	4-81
4.11. Lake Idylwild.....	4-95
4.12. Lake Jessie .....	4-104
4.13. Little Lake Hamilton.....	4-114
4.14. Lake Lulu.....	4-123

4.15.	Lake Mariana .....	4-134
4.16.	Lake May.....	4-143
4.17.	Middle Lake Hamilton.....	4-154
4.18.	Lake Mirror .....	4-164
4.19.	Lake Rochelle .....	4-173
4.20.	Lake Roy .....	4-183
4.21.	Lake Shipp .....	4-192
4.22.	Lake Smart.....	4-201
4.23.	Lake Spring .....	4-210
4.24.	Lake Summit .....	4-219
4.25.	Lake Winterset .....	4-228
5.0	Priorities for Lake Restoration Projects.....	5-1
5.1.	Lake Ranks .....	5-1
5.2.	Project Ranks.....	5-6
6.0	Conclusions and Recommendations .....	6-1
7.0	Literature Cited.....	7-1

List of Figures

Figure 1-1. TMDL status (adopted or still required) and designated SWIM waterbodies in the WHCL.....1-4

Figure 1-2. Developed and undeveloped areas in the WHCL watershed and high infiltration soils (potential recharge areas).....1-5

Figure 2-1. Impacts to watershed due to conversion from natural landscapes to urban development (PBS&J 2007).....2-3

Figure 2-2. Relative, long-term changes in the potentiometric surface of the Floridan aquifer (SWFWMD 2007).....2-4

Figure 2-3. EPA numeric nutrient criteria guidance for high color lakes.....2-8

Figure 2-4. EPA Numeric nutrient criteria guidance for low color lakes. ....2-9

Figure 2-5. Relationship between lake level (feet NGVD) and chlorophyll *a* for Lake Blue. ....2-12

Figure 2-6. Comparison of lake level elevations (feet NGVD) for historical (1850s) and current (2005) conditions.....2-16

Figure 2-7. Influence of reduced external phosphorus reductions on phosphorus in water column (after Reddy *et al.* 1999). ....2-17

Figure 2-8. Comparisons of lake levels and rainfall for Lake Hamilton. ....2-19

Figure 2-9. Comparisons of lake levels and rainfall patterns in lakes Fannie, Hamilton, Howard, and Smart, for selected model terms. ....2-20

Figure 2-10. Relationship between in lakes Henry and Lulu. ....2-23

Figure 2-11. Median concentrations of chlorophyll *a*, TN, TP and color in Lakes Henry and Lulu (1997 to 2007).....2-23

Figure 3-1. Water clarity in Lake Howard, pre- and post project construction (line is three-point moving average, orange and purple shading denote approximate times of the stormwater project and *Hydrilla* treatment, respectively).....3-2

Figure 3-2. Water clarity in Lake May, pre- and post project construction (line is three-point moving average and shaded area denotes approximate time of stormwater project).....3-3

Figure 3-3. Water clarity in Lake Lulu, pre- and post project construction (line is three-point moving average and shaded area denotes approximate time of stormwater project).....3-3

Figure 3-4. Chlorophyll *a* levels in Lake Howard, pre- and post- project (line is three-point moving average, orange and purple shading denote approximate times of the stormwater project and *Hydrilla* treatment, respectively). ....3-4

Figure 3-5. Chlorophyll *a* levels for Lake May, pre- and post- project (line is three-point moving average and shading denotes approximate time of stormwater project). ....3-4

Figure 3-6. Chlorophyll *a* levels in Lulu, pre- and post project construction (line is three-point moving average and shaded area denotes approximate time of stormwater project).....3-5

Figure 3-7. TP in Lake Howard, pre- and post- project (line is three-point moving average, orange and purple shading denote approximate times of the stormwater project and *Hydrilla* treatment, respectively). ....3-5

Figure 3-8. TP in Lake May, pre- and post- project (line is three-point moving average and shading denotes approximate time of stormwater project). ....3-6

Figure 3-9. TP in Lake Lulu, pre- and post- project (line is three-point moving average and shading denotes approximate time of stormwater project). ....3-6

Figure 3-10. WHCL WQMP decision key.....3-8

Figure 3-11. Water clarity in lakes Conine and Parker (line is three-point moving average and shading denotes time of whole-lake alum treatment in Lake Conine). ....3-11

Figure 3-12. Chlorophyll *a* in lakes Conine and Parker (line is three-point moving average and shading denotes approximate time of whole-lake alum treatment in Lake Conine). ....3-11

Figure 3-13. TP in lakes Conine and Parker (line is three-point moving average and shading denotes approximate time of whole-lake alum treatment in Lake Conine). ....3-12

Figure 3-14. Water clarity in Banana Lake and Lake Parker (shading denotes approximate time of sediment removal project).....3-13

Figure 3-15. Water clarity in lakes Hollingsworth and Parker (green and orange shading denote approximate time of sediment removal alum projects, respectively, in Lake Hollingsworth).....3-14

Figure 3-16. Chlorophyll *a* in Banana Lake and Lake Parker (shading denotes approximate time of sediment removal project in Banana Lake).....3-14

Figure 3-17. Chlorophyll *a* in lakes Hollingsworth and Parker (line is three-point moving average and green and orange shading denote approximate time of sediment removal and alum projects, respectively, in Lake Hollingsworth). .....3-15

Figure 3-18. TP in Banana Lake and Lake Parker (line is three-point moving average and shading denotes approximate time of sediment removal project in Banana Lake).....3-15

Figure 3-19. TP in lake Hollingsworth and Parker (line is three-point moving average and green and orange shading denote approximate time of sediment removal and alum projects, respectively, in Lake Hollingsworth).....3-16

Figure 3-20. Chlorophyll *a* in Lake Trafford (shading denotes approximate time of sediment removal project).....3-16

Figure 3-21. EAV and SAV distribution in the lake littoral zone (after MDNR 2010). .....3-28

Figure 3-22. Conceptual diagram of EAV and SAV (top) and forested (bottom) wetlands lake restoration projects. ....3-30

Figure 3-23. Cross-section of a typical FTW and pond showing main structural elements (from Headley and Tanner 2006). .....3-32

Figure 3-24. Plan view of three design approaches for FTW in a stormwater detention basin (cross-hatching represents FTWs) (after Headley and Tanner 2006). .....3-32

Figure 3-25. Potential plant species for shoreline vegetation planting project Top: soft stem bulrush. Middle: pickerel weed. Bottom: water lily and spikerush.....3-33

Figure 3-26. Schematic of proposed artificial circulation system using SolarBee system.....3-35

Figure 4-1. Lake Blue and associated watershed.....4-5

Figure 4-2. Lake Blue chlorophyll *a* concentrations with available data from 1987 to 2007.....4-6

Figure 4-3. Lake Blue bathymetry (May 2006) at water level elevation = 149 feet (Polk County Water Atlas).....4-7

Figure 4-4. Lake Blue decision key: highlighted path shows decision process. ....4-8

Figure 4-5. Lake Cannon and associated watershed. ....4-14

Figure 4-6. Lake Cannon chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1983 to 2007. ....4-15

Figure 4-7. Lake Cannon bathymetry (June 2007) at water level elevation = 129 feet (Polk County Water Atlas).....4-16

Figure 4-8. Lake Cannon decision key: highlighted path shows decision process.....4-17

Figure 4-9. Lake Conine and associated watershed. ....4-24

Figure 4-10. Lake Conine chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1983 to 2007. Previous water quality improvement projects are identified. ....4-25

Figure 4-11. Lake Conine bathymetry (June 2007) at water level elevation = 125 feet (Polk County Water Atlas).....4-26

Figure 4-12. Lake Conine decision key: highlighted path shows decision process.....4-27

Figure 4-13. Lake Eloise and associated watershed. ....4-34

Figure 4-14. Lake Eloise chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1983 to 2007. ....4-35

Figure 4-15. Lake Eloise bathymetry (June 2007) at water level elevation = 129 feet (Polk County Water Atlas).....4-36

Figure 4-16. Lake Eloise decision key: highlighted path shows decision process. ....4-37

Figure 4-17. Lake Fannie and associated watershed.....4-43

Figure 4-18. Lake Fannie chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1986 to 2007.....4-44

Figure 4-19. Lake Fannie bathymetry (July 2007) at water level elevation = 122 feet (Polk County Water Atlas).....4-45

Figure 4-20. Lake Fannie decision key: highlighted path shows decision process. ....4-46

Figure 4-21. Lake Haines and associated watershed.....	4-50
Figure 4-22. Lake Haines chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1985 to 2007.....	4-51
Figure 4-23. Lake Haines bathymetry (October 2006) at water level elevation = 127 feet (Polk County Water Atlas).....	4-52
Figure 4-24. Lake Haines decision key: highlighted path shows decision process.....	4-53
Figure 4-25. Proposed forested wetland rehydration project areas for Lake Haines.....	4-55
Figure 4-26. Lake Hamilton and associated watershed.....	4-60
Figure 4-27. Lake Hamilton chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1985 to 2007.....	4-61
Figure 4-28. Lake Hamilton bathymetry (September 2005) at water level elevation = 121 feet (Polk County Water Atlas).....	4-62
Figure 4-29. Lake Hamilton decision key: highlighted path shows decision process.....	4-63
Figure 4-30. Lake Hartridge and associated watershed.....	4-67
Figure 4-31. Lake Hartridge chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-69
Figure 4-32. Lake Hartridge bathymetry (October 2006) at water level elevation = 131 feet (Polk County Water Atlas).....	4-70
Figure 4-33. Lake Hartridge decision key: highlighted path shows decision process.....	4-71
Figure 4-34. Lake Henry and associated watershed.....	4-77
Figure 4-35. Lake Henry chlorophyll <i>a</i> concentrations with available data from 1990 to 2007.....	4-78
Figure 4-36. Lake Henry bathymetry (October 2006) at water level elevation = 125 feet (Polk County Water Atlas).....	4-79
Figure 4-37. Lake Henry decision key: highlighted path shows decision process.....	4-80
Figure 4-38. Lake Howard and associated watershed.....	4-85
Figure 4-39. Lake Howard bathymetry (August 2005) at water level elevation = 132 feet (Polk County Water Atlas).....	4-87
Figure 4-40. Lake Howard chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-88
Figure 4-41. Lake Howard total phosphorus concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-89
Figure 4-42. Lake Howard decision key: highlighted path shows decision process.....	4-90
Figure 4-43. Lake Idylwild and associated watershed.....	4-98
Figure 4-44. Lake Idylwild chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-99
Figure 4-45. Lake Idylwild bathymetry (October 2006) at water level elevation = 130 feet (Polk County Water Atlas).....	4-100
Figure 4-46. Lake Idylwild decision key: highlighted path shows decision process.....	4-101
Figure 4-47. Lake Jessie and associated watershed.....	4-107
Figure 4-48. Lake Jessie chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-108
Figure 4-49. Lake Jessie bathymetry (October 2006) at water level elevation = 130 feet (Polk County Water Atlas).....	4-109
Figure 4-50. Lake Jessie decision key: highlighted path shows decision process.....	4-111
Figure 4-51. Little Lake Hamilton and associated watershed.....	4-117
Figure 4-52. Little Lake Hamilton chlorophyll <i>a</i> concentrations using available data from 1990 to 2007.....	4-118
Figure 4-53. Little Lake Hamilton bathymetry (February 2010) at water level elevation = 118 feet (Polk County Water Atlas).....	4-119
Figure 4-54. Little Lake Hamilton decision key: highlighted path shows decision process.....	4-120
Figure 4-55. Lake Lulu and associated watershed.....	4-126
Figure 4-56. Lake Lulu chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-127
Figure 4-57. Lake Lulu bathymetry (June 2007) at water level elevation = 129 feet (Polk County Water Atlas).....	4-128

Figure 4-58. Lake Lulu decision key: highlighted path shows decision process. ....4-129

Figure 4-59 . Proposed forested wetland rehydration project areas for Lake Lulu.....4-132

Figure 4-60. Lake Mariana and associated watershed.....4-137

Figure 4-61. Lake Mariana chlorophyll *a* concentrations using available data from 1992 to 2007.....4-138

Figure 4-62. Lake Mariana bathymetry (October 2009) at water level elevation = 136 feet (Polk County Water Atlas). ....4-139

Figure 4-63. Lake Mariana decision key: highlighted path shows decision process. ....4-140

Figure 4-64. Lake May and associated watershed. ....4-146

Figure 4-65. Lake May chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1983 to 2007. ....4-147

Figure 4-66. Lake May bathymetry (September 2009) at water level elevation = 130 feet (Polk County Water Atlas). ....4-148

Figure 4-67. Lake May decision key: highlighted path shows decision process. ....4-149

Figure 4-68. Middle Lake Hamilton and associated watershed. ....4-157

Figure 4-69. Middle Lake Hamilton chlorophyll *a* concentrations using available data from 1993 to 2007. ....4-158

Figure 4-70. Middle Lake Hamilton bathymetry (February 2010) at water level elevation = 118 feet (Polk County Water Atlas). ....4-159

Figure 4-71. Middle Lake Hamilton decision key: highlighted path shows decision process. ....4-160

Figure 4-72. Proposed forested wetland rehydration project area for Middle Lake Hamilton. ....4-163

Figure 4-73. Lake Mirror and associated watershed. ....4-167

Figure 4-74. Lake Mirror chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1983 to 2007. ....4-168

Figure 4-75. Lake Mirror bathymetry (December 2009) at water level elevation = 129 feet (Polk County Water Atlas). ....4-169

Figure 4-76. Lake Mirror decision key: highlighted path shows decision process.....4-170

Figure 4-77. Lake Rochelle and associated watershed.....4-176

Figure 4-78. Lake Rochelle chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1986 to 2007. ....4-177

Figure 4-79. Lake Rochelle bathymetry (October 2005) at water level elevation = 128 feet (Polk County Water Atlas). ....4-178

Figure 4-80. Lake Rochelle decision key: highlighted path shows decision process. ....4-179

Figure 4-81. Proposed forested wetland rehydration project areas for Lake Rochelle. ....4-181

Figure 4-82. Lake Roy and associated watershed. ....4-186

Figure 4-83. Lake Roy chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1984 to 2007. ....4-187

Figure 4-84. Lake Roy bathymetry (August 2009) at water level elevation = 129 feet (Polk County Water Atlas).....4-188

Figure 4-85. Lake Roy decision key: highlighted path shows decision process.....4-189

Figure 4-86. Lake Shipp and associated watershed.....4-195

Figure 4-87. Lake Shipp chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1983 to 2007. ....4-196

Figure 4-88. Lake Shipp bathymetry (June 2007) at water level elevation = 129 feet (Polk County Water Atlas).....4-197

Figure 4-89. Lake Shipp decision key: highlighted path shows decision process. ....4-198

Figure 4-90. Lake Smart and associated watershed. ....4-204

Figure 4-91. Lake Smart bathymetry (June 2007) at water level elevation = 125 feet (Polk County Water Atlas).....4-205

Figure 4-92. Lake Smart decision key: highlighted path shows decision process.....4-206

Figure 4-93. Proposed forested wetland rehydration project area for Lake Smart.....4-209

Figure 4-94. Lake Spring and associated watershed. ....4-213

Figure 4-95. Lake Spring chlorophyll *a* concentrations and *Hydrilla* treatment history using available data from 1983 to 2007. ....4-214

Figure 4-96. Lake Spring bathymetry (June 2007) at water level elevation = 129 feet (Polk County Water Atlas).....4-215



Figure 4-97. Lake Spring decision key: highlighted path shows decision process.....	4-216
Figure 4-98. Lake Summit and associated watershed.....	4-222
Figure 4-99. Lake Summit chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-223
Figure 4-100. Lake Summit bathymetry (August 2009) at water level elevation = 129 feet (Polk County Water Atlas). ....	4-224
Figure 4-101. Lake Summit decision key: highlighted path shows decision process.....	4-225
Figure 4-102. Lake Winterset and associated watershed.....	4-231
Figure 4-103. Lake Winterset chlorophyll <i>a</i> concentrations and <i>Hydrilla</i> treatment history using available data from 1983 to 2007.....	4-232
Figure 4-104. Lake Winterset bathymetry (June 2007) at water level elevation = 129 feet (Polk County Water Atlas). ....	4-233
Figure 4-105. Lake Winterset decision key.....	234
Figure 5-1. Required TP reductions, geometric mean TP concentrations, and targeted TP concentrations for the WHCL.....	5-3

List of Tables

Table 2-1. WHCL lakes identified by impairment and TMDL status. ....2-6

Table 2-2. Target and geometric mean chlorophyll *a* values (1997 to 2007) for WHCL using EPA method (2010) modified for locally-derived specific conductivity values for alkalinity. ....2-10

Table 2-3. Target and geometric mean values (1997 to 2007) for TP and TN for WHCL using EPA (2010) method and modified using locally-derived specific conductance threshold values for alkalinity. ....2-11

Table 2-4. Regression analysis of lake levels and chlorophyll *a*, TN, and TP using closest lake with adequate lake level data (data from PBS&J 2008). ....2-13

Table 2-5. Summary of available information on point source discharge history of various WHCL lakes (compiled from various sources). ....2-14

Table 2-6. Summary of lake level trends in Polk County (Spechler and Kroening 2006). ....2-15

Table 2-7. Summary of model results for lake levels and antecedent rainfall. ....2-19

Table 2-8. Mean and median values of water quality parameters for lakes with color < 50 PCU and color > 50 PCU (1997 to 2007). ....2-22

Table 3-1. Water budget summary for the lakes in the Southern Chain of the WHCL (from USF 2005). ....3-20

Table 3-2. Acres of SIAs needed to treat stormwater volumes that meet phosphorus reduction goals for TMDLs/PLRGs and/or NNC in the Southern Chain of the WHCL .....3-21

Table 3-3. List of potential plant species for EAV planting project. ....3-30

Table 4-1. Physical, chemical, and regulatory characteristics of Lake Blue. ....4-3

Table 4-2. Lake Blue water quality characteristics over the period of 1997 to 2007. ....4-3

Table 4-3. Physical, chemical, and regulatory characteristics of Lake Cannon. ....4-12

Table 4-4. Lake Cannon water quality summary for 1997 to 2007. ....4-13

Table 4-5. Physical, chemical, and regulatory characteristics of Lake Conine. ....4-22

Table 4-6. Lake Conine water quality summary for 1997 to 2007. ....4-23

Table 4-7. Physical, chemical, and regulatory characteristics of Lake Eloise. ....4-32

Table 4-8. Lake Eloise water quality summary for 1997 to 2007. ....4-33

Table 4-9. Physical, chemical, and regulatory characteristics of Lake Fannie. ....4-41

Table 4-10. Lake Fannie water quality summary for 1997 to 2007. ....4-42

Table 4-11. Physical, chemical, and regulatory characteristics of Lake Haines. ....4-48

Table 4-12. Lake Haines water quality summary for 1997 to 2007. ....4-49

Table 4-13. Physical, chemical, and regulatory characteristics of Lake Hamilton. ....4-58

Table 4-14. Lake Hamilton water quality summary for 1997 to 2007. ....4-59

Table 4-15. Physical, chemical, and regulatory characteristics of Lake Hartridge. ....4-65

Table 4-16. Lake Hartridge water quality summary for 1997 to 2007. ....4-66

Table 4-17. Physical, chemical, and regulatory characteristics of Lake Henry. ....4-75

Table 4-18. Lake Henry water quality summary for 1997 to 2007. ....4-76

Table 4-19. Physical, chemical, and regulatory characteristics of Lake Haines. ....4-83

Table 4-20. Lake Howard water quality summary for 1997 to 2007. ....4-84

Table 4-21. Estimated Lake Howard TP reductions due to projects and required under the TMDL. ....4-86

Table 4-22. Physical, chemical, and regulatory characteristics of Lake Idylwild. ....4-96

Table 4-23. Lake Idylwild water quality summary for 1997 to 2007. ....4-97

Table 4-24. Physical, chemical, and regulatory characteristics of Lake Jessie. ....4-105

Table 4-25. Lake Jessie water quality summary for 1997 to 2007. ....4-106

Table 4-26. Physical, chemical, and regulatory characteristics of Little Lake Hamilton. ....4-115

Table 4-27. Little Lake Hamilton water quality summary for 1997 to 2007. ....4-116

Table 4-28. Physical, chemical, and regulatory characteristics of Lake Lulu. ....4-124

Table 4-29. Lake Lulu water quality summary for 1997 to 2007. ....4-125

Table 4-30. Physical, chemical, and regulatory characteristics of Lake Mariana. ....4-135

Table 4-31. Lake Mariana water quality summary for 1997 to 2007. ....4-136

Table 4-32. Physical, chemical, and regulatory characteristics of Lake May. ....4-144

Table 4-33. Lake May water quality summary for 1997 to 2007. ....4-145

Table 4-34. Physical, chemical, and regulatory characteristics of Middle Lake Hamilton. ....4-155



Table 4-35. Middle Lake Hamilton water quality summary for 1997 to 2007.....	4-156
Table 4-36. Physical, chemical, and regulatory characteristics of Lake Mirror.....	4-165
Table 4-37. Lake Mirror water quality summary for 1997 to 2007. ....	4-166
Table 4-38. Physical, chemical, and regulatory characteristics of Lake Rochelle.....	4-174
Table 4-39. Lake Rochelle water quality summary for 1997 to 2007. ....	4-175
Table 4-40. Physical, chemical, and regulatory characteristics of Lake Roy.....	4-184
Table 4-41. Lake Roy water quality summary for 1997 to 2007. ....	4-185
Table 4-42. Physical, chemical, and regulatory characteristics of Lake Shipp.....	4-193
Table 4-43. Lake Shipp water quality summary for 1997 to 2007. ....	4-194
Table 4-44. Physical, chemical, and regulatory characteristics of Lake Smart. ....	4-202
Table 4-45. Lake Smart water quality summary for 1997 to 2007.....	4-203
Table 4-46. Physical, chemical, and regulatory characteristics of Lake Spring.....	4-211
Table 4-47. Lake Spring water quality summary for 1997 to 2007. ....	4-212
Table 4-48. Physical, chemical, and regulatory characteristics of Lake Summit.....	4-220
Table 4-49. Lake Summit water quality summary for 1997 to 2007. ....	4-221
Table 4-50. Physical, chemical, and regulatory characteristics of Lake Winterset.....	4-229
Table 4-51. Lake Winterset water quality summary for 1997 to 2007. ....	4-230
Table 5-1. Ranking scale used to assign priority to lakes for the WHCL.....	5-2
Table 5-2 . Priority rankings for lakes in the WHCL (higher numbers indicate greater priority and same color shading indicates equal priority).....	5-5
Table 5-3. Restoration project ranking matrix for lakes in the WHCL.....	5-8

## List of Photos

Photo 3-1. Example of implemented SIAs .....	3-18
Photo 4-1. Water control structure at southern end of Lake Blue.....	4-4
Photo 4-2. View from western shoreline of Lake Cannon.....	4-13
Photo 4-3. View from western shoreline of Lake Conine.....	4-23
Photo 4-4. Lake Eloise .....	4-33
Photo 4-5. North view of Lake Fannie.....	4-42
Photo 4-6. View of northwestern shoreline of Lake Haines.....	4-49
Photo 4-7. View of Lake Hamilton.....	4-59
Photo 4-8. Lake Hartridge.....	4-66
Photo 4-9. Lake Hartridge Stormwater Treatment Project.....	4-68
Photo 4-10. View of northwestern portion of Lake Henry.....	4-76
Photo 4-11. View of Lake Howard from southwestern rim.....	4-84
Photo 4-12. South Lake Howard wet detention stormwater treatment project.....	4-86
Photo 4-13. Lake Idylwild.....	4-97
Photo 4-14. Lake Jessie.....	4-106
Photo 4-15. Lake Jessie stormwater treatment project at Derby Avenue.....	4-110
Photo 4-16. View of Little Lake Hamilton.....	4-116
Photo 4-17. Southern view of Lake Lulu.....	4-125
Photo 4-18. Lake Mariana.....	4-136
Photo 4-19. View of Lake May during incubation study.....	4-145
Photo 4-20. Fisherman on Middle Lake Hamilton.....	4-156
Photo 4-21. View of north shoreline of Lake Mirror.....	4-166
Photo 4-22. Lake Rochelle.....	4-175
Photo 4-23. Beach Motel adjacent to Lake Roy.....	4-185
Photo 4-24. Boat docks located on Lake Shipp.....	4-194
Photo 4-25. Lake Smart.....	4-203
Photo 4-26. North view of Lake Spring.....	4-212
Photo 4-27. Lake Summit.....	4-221
Photo 4-28. Residential area along Lake Winterset shoreline.....	4-230